

FREEZER 3 GLASS DOORS JDE-1530F

****Note: there is a higher inrush current, which makes a circuit breaker with type C characteristic necessary.****

€5,120.00

SKU:

7455.2220



Introducing our impressive retail freezer with 3 glass doors, specifically designed for supermarkets and professional establishments!

This freezer features a modern design, self-closing doors, adjustable shelves and a digital temperature display. The ventilated cooling system ensures efficient cooling, while automatic defrost minimizes maintenance. The LED lighting optimally illuminates your products and the door heating prevents condensation, easily switched on or off. The dimensions are 1880x710x1997 mm (LxDxH) – power consumption 1.05kW – capacity 1450 liters – temperature -22/-18°C – weight 305 kg.

Key features:

- **Ventilated cooling:** provides consistent and even temperature.
- **Automatic defrost:** saves time and maintenance.
- **LED lighting:** efficiently illuminates products in an energy-saving way.
- **Door heating:** prevents condensation and can be easily turned on or off.
- **Also available in refrigerated version:** ideal for maintaining the same appearance side by side.

Whether you're displaying frozen products, meat, fish, or other frozen food, this 3 glass door freezer is the perfect choice for any retail environment. Order today and enhance your store's appearance and functionality!



EAN code	7435137863878	Width (mm)	1880
Depth (mm)	710	Height (mm)	2003
Material	Powder coated steel	Material interior	Aluminium
Color	White	Accessories included	8 castors and 15 grids with clips and price card holders
Parcel ready	No	Gross Weight (kg)	340
Net weight(kg)	305	Particulars	With door heating which can be operated via a switch
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	1,05	Cooling agent	R 290
Temperature range (°C)	-18/-22	Number of guide pairs	165
Number of grids	15	Guides distance (mm)	90
Max. grid load (kg)	30	Net Capacity (Ltr)	1450
Dim. interior WxDxH (mm)	1760x530x1554	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	No
Mobile	Yes	Number of doors	3
Door left / right hinging	Left and right hinged	Noise level (dB)	68
Defrost	Automatic	Max. ambient temperature (°C)	32
Insulation thickness (mm)	60	Energy Class (A/G)	D
Power consumption (Kw/24h)	23,84	Brand	COMBISTEEL
Refrigerant quantity (gr)	150x2	EPREL ID	1435841
Plug and play (EU only)	Yes	RAL color	9003



ENERG




CombiSteel

7455.2220-ECO



8702 kWh/annum


2.09 m²

 **-15°C**
-18°C

2019/2018

