

REFRIGERATOR SS 1 DOOR 560L ENERGY LINE

€1,950.00

SDiscover our high-quality stair \$250eel refrigerator with 1 door – the perfect choice for professional kitchens!

This stylish and durable refrigerator combines functionality with design. With its spacious interior and ventilated cooling system, it delivers optimal performance and reliable storage for your chilled products. The reversible door with a lock provides extra flexibility and security. The dimensions are 740x875x2090 mm (WxDxH) – power consumption 0.76 kW – capacity 560 liters – temp. +2/+8°C – weight 130 kg.

Key features:

- Energy-efficient design: With energy label A and 100 mm insulation for minimal energy consumption.
- Space for 15x 2/1GN trays: Flexible layout for efficient storage.
- **Ventilated cooling:** Ensures a constant temperature, ideal for various products.
- **LED lighting:** Illuminates the interior brightly and efficiently.
- Automatic defrosting: Saves time and minimizes maintenance.

With a sturdy stainless steel design and high-quality components, this refrigerator is built for durability and heavy-duty use. Whether you're in a restaurant, catering business, or retail store, this stainless steel refrigerator is the perfect choice for reliability and style. Order now and experience the perfect combination of performance, energy efficiency, and design!







EAN code	7422242989999	Туре	Energy Line
Width (mm)	740	Depth (mm)	875
Height (mm)	2090	Material	Stainless steel 430
Material interior	Stainless steel 304	Color	Stainless steel
Parcel ready	No	Gross Weight (kg)	130
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	0,76	Model tabletop/ freestanding/drop-in	Freestanding
Cooling agent	R 600 A	Temperature range (°C)	+2/+8
Number of guide pairs	15	Number of grids	3x 2/1GN
Guides distance (mm)	80	Max. grid load (kg)	25
Gross Capacity (Ltr)	560	Dim. interior WxDxH (mm)	533x700x1501
Lights	Yes, LED	Type of cooling	Ventilated
Lockable	Yes	Mobile	No
Number of doors	1	Door left / right hinging	Right
Door reversible	Yes	Defrost	Automatic
Max. ambient temperature (°C)	43	Insulation thickness (mm)	100
Energy label	A	Brand	COMBISTEEL
Refrigerant quantity (gr)	100	EPREL ID	2019807
Plug and play (EU only)	Yes		











