

## ICE CREAM DISPLAY KOMODO 6X5L

€4,475.00

SKU:

7487.0250

### Meet our efficient and stylish ice cream display Komodo!

This ice cream display is the perfect solution for showcasing and storing scoop ice cream, ideal for ice cream parlors, hospitality venues, or events. Thanks to ventilated cooling, the temperature is evenly distributed, while automatic defrosting makes maintenance easy. The LED lighting ensures an attractive presentation of the ice cream, enticing customers to make a flavorful choice. With enough space for 6 containers of 5 liters, this display freezer offers optimal storage capacity. Dimensions: 910x880x1300 mm (WxDxH) - Capacity: 189 liters - Temperature: -16/-18°C - Energy consumption: 0.86 kW - Weight: 106 kg.



### Key features:

- **Ventilated cooling:** ensures even temperature distribution.
- **Automatic defrosting:** easy to maintain and time-saving.
- **LED lighting:** illuminates the ice cream in an energy-efficient and attractive way.
- **Spacious capacity:** holds 6 containers of 5 liters.
- **Available in 3 sizes:** choose the ideal solution for your business and assortment.

Whether you run an ice cream parlor, own a food truck, or sell ice cream at events, the Komodo ice cream display combines efficiency, style, and ease of use. Order now and ensure a perfect presentation of your delicious ice cream!





EAN code	6153303797703	Width (mm)	910
Depth (mm)	880	Height (mm)	1300
Color	White	Net weight(kg)	106
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	0,86	Cooling agent	R 290
Capacity in units per time	6x5 ltr	Temperature range (°C)	-16/-18
Gross Capacity (Ltr)	189	Operation	Digital
Temperature display	Yes, digital	Lights	Yes, LED
Type of cooling	Ventilated	Mobile	Yes
Noise level (dB)	64	Under cooling	No
Execution window	Right	Defrost	Automatic
Max. ambient temperature (°C)	38	Insulation thickness (mm)	60
Brand	COMBISTEEL	Refrigerant quantity (gr)	148
Energy Class (A/G)	C	EPREL ID	2069621
Plug and play (EU only)	Yes	Accessories excluded	ice cream bins



# ENERG



Combisteel B.V.

7487.0250



**4651** kWh/annum

  
**0,51** m<sup>2</sup>

 **-16°C**  
**-19°C**

2019/2018

