

## DRY AGE CABINET 138L

€1,935.00

Meet our Dry Age cabinet, designed for the perfect aging of meat in professional environments!



This stylish black dry age cabinet offers the ideal temperature and humidity for the dry aging process, with a glass door for excellent product presentation. The LED lighting ensures optimal illumination of your products. The user-friendly control panel allows precise temperature adjustments, while the forced cooling system maintains a stable environment. The humidity level of 65-85% creates perfect aging conditions. The modern, stylish black finish makes the cabinet a real eye-catcher in any professional setting.

Dimensions: 600x500x900 mm (LxDxH) - Power consumption: 0.235 kW - Capacity: 138 liters - Temperature: 0/+10°C - Relative humidity: 65-85% - Weight: 50 kg

### Key features:

- **Forced cooling:** ensures constant temperature and humidity for dry aging.
- **LED lighting:** presents your products in the best light, energy-efficient and effective.
- **Humidity of 65-85%:** creates ideal aging conditions.
- **Robust and professional appearance:** perfect for premium meat display in retail or horeca environments.
- **Stylish black design:** modern finish that beautifully accentuates your products.

Make a statement in your store or restaurant and provide your meat with the perfect aging conditions. Order the Dry Age cabinet today and add a luxury element to your assortment!





EAN code	6153303031029	Width (mm)	600
Depth (mm)	500	Height (mm)	900
Material	Stainless steel Aisi 304	Material interior	Stainless steel 304
Color	Black	Accessories included	Himalayan salt brick, SS tray for storing salt brick
Parcel ready	No	Gross Weight (kg)	50
Net weight(kg)	42	Particulars	Maximum hanger loading 115 kg
Voltage (Volt)	230	Frequency (Hz)	50
Electrical power (kW)	0,235	Model tabletop/ freestanding/drop-in	Freestanding
Cooling agent	R 600 A	Temperature range (°C)	0/+10
Number of grids	1	Gross Capacity (Ltr)	138
Dim. interior WxDxH (mm)	510x355x745	Operation	Digital
Temperature display	Yes, digital	Lights	Yes, LED
Type of cooling	Ventilated	Lockable	Yes
Mobile	No	Number of doors	1
Door left / right hinging	Right	Noise level (dB)	45
Defrost	Automatic	Max. ambient temperature (°C)	32
Relative humidity (%)	65-85	Energy label	C
Power consumption (Kw/24h)	1,39	Brand	COMBISTEEL
Refrigerant quantity (gr)	40	EPREL ID	2309555
Plug and play (EU only)	Yes		



# ENERG




Combisteel

7455.1950



**1278** kWh/annum

  
**0,29** m<sup>2</sup>

  
**8°C**  
**1°C**

2019/2018

