



**7280.0020**


Onderdelen informatie

Erzatzteil information


Spare part information

Information de pièces







| POS: | Art.No.:    | Omschrijving:                         |
|------|-------------|---------------------------------------|
| 1    | CS9136.4006 | WASHER FOR DOOR TENSIONER             |
| 2    | CS9136.4005 | DOOR TENSIONER                        |
| 3    | CS9136.4070 | TENSIONER GUIDE                       |
| 4    | CS9136.4075 | S.S. BLOCK FOR DOOR TENSIONER         |
| 5    |             | BASE ASSY                             |
| 6    |             | PRESSOSTAT AND TERMINAL BOARD SUPPORT |
| 7    |             | REAR PANEL                            |
| 8    |             | LOWER TRIM PANEL                      |
| 9    |             | BOTTOM GUARD                          |
| 10   |             | PLASTIC SNAP CABLE                    |
| 11   | CS0.        |                                       |
| 12   | CS0.        |                                       |
| 13   | CS9136.4007 | STAINLESS STEEL SCREW M4x20 TCPS      |
| 14   | CS9136.4080 | MOUNTAIN BRACKET ASSY FOR RIGHT HINGE |
| 15   | CS9136.4085 | MOUNTAIN BRACKET ASSY FOR LEFT HINGE  |
| 16   | CS9136.1798 | ADJUSTABLE FOOT M10 (*)               |
| 17   | CS9136.0234 | CABLE CLAMP                           |
| 18   |             | DOOR GASKET L=mm. 565 (*)             |
| 19   |             | MALE PLASTIC LATCH                    |
| 20   | CS9136.1078 | EPDM GASKET DIM. mm.20x2x565 L (*)    |
| 21   | CS9136.4090 | LINCHPIN                              |
| 22   | CS9136.4095 | TENSIONING PIN                        |
| 23   |             | LOWER REAR PANEL                      |
| 24   | CS9136.1526 | MAGNETIC UNIT (*)                     |
| 25   |             | DOOR JACK ASSY (*)                    |




| POS: | Art.No.:    | Omschrijving:                                   |
|------|-------------|-------------------------------------------------|
| 1    |             | DETERGENT DISPENSER-THERMOSTATS SUPPORT         |
| 2    | CS9136.5000 | DRAIN HOSE L=2500 mm                            |
| 3    | CS9999.0199 | HEATING ELEMENT 240V 2400W (*)                  |
| 4    |             | ELECTRICAL SUPPORT                              |
| 5    | CS9136.2706 | PROX MAGNETIC MICROSWITCH (*)                   |
| 6    | CS9136.2926 | POWER CORD SUPPLY 3G 1,5 WITH SCHUKO PLUG       |
| 7    | CS9998.5876 | O-RING FOR BOILER FLANGE (*)                    |
| 8    | CS9136.0193 | SINGLE SOLENOID VALVE 90° 230V (*)              |
| 9    | CS9136.0179 | ADJUSTABLE 0÷90° THERMOSTAT (*)                 |
| 10   |             | AIR TRAP (*)                                    |
| 11   | CS9136.1043 | AIR TRAP NUT                                    |
| 12   | CS9136.0814 | ANTI-CONDENSATION PIPE FITTING                  |
| 13   | CS9136.0816 | O-RING 4081                                     |
| 14   | CS9136.0190 | Ø 15,9-14,8 HOSE CLAMP                          |
| 15   | CS9136.0192 | Ø 21,6-20,6 WIRE CLAMP                          |
| 16   |             | RINSE-AID DISPENSER (*)                         |
| 17   |             | BOILER HEATING ELEMENT 240V 3000W (*)           |
| 18   | CS9136.0652 | EPDM HOSE , BLACK D. mm. 5x10                   |
| 19   |             | MULTIFUNCTION ELECTRONIC TIMER (*)              |
| 20   |             | TERMINAL BOARD FV 110 - 40A - 450V SINGLE PHASE |
| 21   | CS9136.3118 | PRESSOSTAT LEVEL 28/12 (*)                      |
| 22   | CS9136.0815 | BRASS PIPE                                      |
| 23   | CS9136.0787 | INTERFERENCE SUPPRESSOR 0,47 µF                 |




| POS: | Art.No.:    | Omschrijving:                        |
|------|-------------|--------------------------------------|
| 1    |             | 5 Lt. BOILER ASSY                    |
| 2    |             | INTAKE RUBBER COUPLING               |
| 3    |             | WASH PIPE RUBBER COUPLING            |
| 4    | CS9136.4025 | FILTER GROUP DRAIN CUP               |
| 5    | CS9136.4035 | GASKET FOR FILTER GROUP              |
| 6    | CS9136.4040 | PLASTIC FILTER SUPPORT               |
| 7    | CS9136.4045 | TANK PLASTIC FILTER                  |
| 8    | CS9136.4010 | OVERFLOW                             |
| 9    | CS9136.3179 | GASKET DE 150                        |
| 10   | CS9136.1314 | MANUAL RESET SAFETY THERMOSTAT (*)   |
| 11   |             | WASHING PUMP 0,550 Kw 230V 50Hz      |
| 11A  |             | WASHING PUMP 0,550 Kw 230V 60Hz      |
| 12   | CS9136.0128 | WATER SUPPLY HOSE L=mm.2000          |
| 13   | CS9136.1362 | RINSE-AID DISPENSER FILTER ASSY      |
| 14   | CS9136.0794 | NOT RETOURN VALVE BODY               |
| 15   | CS9136.0837 | RUBBER GASKET                        |
| 16   | CS9136.0130 | 5/8" PTFE BALL (*)                   |
| 17   | CS9136.0121 | O-RING 115 (*)                       |
| 18   | CS9136.0795 | NOT RETOURN VALVE RING NUT           |
| 19   | CS9136.3108 | NOT RETOURN VALVE PLASTIC COVER      |
| 20   |             | Ø 11,0-10,4 WIRE CLAMP               |
| 21   | CS9136.1088 | 3-WAYS DISTRIBUTOR                   |
| 22   | CS9136.1610 | D. mm. 11,5x19 BLACK RUBBER HOSE (*) |
| 23   | CS9136.5005 | EPDM HOSE, BLACK D. mm. 5x11 (*)     |




| POS: | Art.No.:    | Omschrijving:                    |
|------|-------------|----------------------------------|
| 1    | CS9136.1244 | PLASTIC CYLINDER FOR WASH ARMS   |
| 2    | CS9999.6638 | LOWER CONNECTING ROD             |
| 3    | CS9136.2653 | PLASTIC CONNECTION FLANGE        |
| 4    | CS9136.1242 | SUPPORTING WASHER                |
| 5    | CS9136.1037 | UPPER CONNECTING ROD             |
| 6    | CS9136.0101 | O-RING 128                       |
| 7    | CS9136.0690 | RINSE PLASTIC PLUG (*)           |
| 8    | CS9136.0700 | O-RING 106                       |
| 9    | CS9136.1055 | RIGHT RINSE PIPE SEGMENT         |
| 10   | CS9136.1056 | LEFT RINSE PIPE SEGMENT          |
| 11   | CS9136.3172 | STAINLESS STEEL RINSE NOZZLE M6  |
| 12   |             | WASHING PIPE                     |
| 13   | CS9136.0796 | PTFE RING (*)                    |
| 14   | CS9136.0451 | STAINLESS STEEL KNURLED SCREW(*) |
| 15   | CS9136.0608 | WASHING ARMS FULCRUM             |
| 16   | CS9999.6637 | O-RING 147                       |
| 17   | CS9136.0463 | WASHING ARMS WASHER (*)          |
| 18   | CS9136.2422 | 90° PLASTIC CONNECTION M13x1     |
| 19   | CS9136.0609 | STAINLESS STEEL CONNECTION ROD   |
| 20   | CS9136.0580 | 4RP DISTRIBUTOR (*)              |
| 21   | CS9136.3014 | WASHING ARM ASSY                 |
| 22   | CS9136.0743 | LEAF SPRING                      |
| 23   | CS9136.0112 | O-RING 121                       |
| 24   | CS9136.0741 | WASHING ARMS PLASTIC PLUG (*)    |
| 25   | CS9136.2982 | WASHING ARMS PIPE SEGMENT        |




| POS: | Art.No.:    | Omschrijving:           |
|------|-------------|-------------------------|
| 1    | CS9136.1336 | RUBBER COUPLING         |
| 2    | CS9136.3116 | DRAIN HOSE SUPPORT      |
| 3    |             | EPDM HOSE               |
| 4    | CS9136.2149 | DRAIN PUMP 230V 50Hz(*) |
| 4A   |             | DRAIN PUMP 220V 60Hz(*) |



| POS: | Art.No.:    | Omschrijving:                           |
|------|-------------|-----------------------------------------|
| 1    |             | AUTOMATIC WATER SOFTNER                 |
| 2    | CS9136.2147 | DOUBLE SOLENOID VALVE 90° 230V D.A. (*) |
| 3    | CS9136.0458 | WATER SOFTNER RING NUT                  |
| 4    | CS9136.0457 | SALT CONTAINER PLUG                     |
| 5    | CS9136.1622 | GASKET                                  |
| 6    | CS9136.4011 | SOLENOID VALVE DOUBLE EXIT (*)          |
| 7    |             | WATER SOFTNER CONNECTIONE CABLE         |
| 8    | CS9136.1610 | D. mm. 11,5x19 BLACK RUBBER HOSE (*)    |
| 9    |             | D. mm.10x17 BLACK RUBBER HOSE           |




|   |                 |                |                    |
|---|-----------------|----------------|--------------------|
| A | ON-OFF          | ON-OFF         | ON-OFF             |
| B | LAMPADA         | LIGHT          | LIGHT              |
| C | SELETTORE CICLO | CYCLE SELECTOR | SÉLECTION DU CYCLE |
| D | START CICLO     | START CYCLE    | START CYCLE        |
| E | POMPA SCARICO   | DRAIN PUMP     | POMPE DE VIDANGE   |
| F | RISC.A FREDDO   | COLD RINSE     | RINÇAGE A FROID    |








**CombiSteel** catering equipment

| POS: | Art.No.:  | Art.No.:    | Omschrijving:                       |
|------|-----------|-------------|-------------------------------------|
| 1    | 8302-0009 |             | UPPER COVER ASSY                    |
| 2    | 4323      | CS9136.1133 | CM-NA TWO-POLE SWITCH (*)           |
| 3    | 17650     | CS9136.4012 | D. 16 DARK GREY SUPPORT             |
| 4    | 17778     |             | D. 25 DARK GREY SUPPORT             |
| 5    | 4045      | CS9136.1063 | LIGHT INDICATOR HOLDER (*)          |
| 6    | 4051      | CS9136.1069 | 230V TRANSPARENT INDICATOR LIGHT(*) |
| 7    | 4049      | CS9136.1067 | NEUTRAL COVER FOR LAMP (*)          |
| 8    | 6992      | CS9136.1897 | NO SINGLE POLE SWITCH (*)           |
| 9    | 4322      | CS9136.1132 | CM-NO PUSH BUTTON (*)               |
| 10   | 17649     | CS9136.4013 | D.16 DARK GREY EMBOSSED BUTTON      |
| 11   | 17777     |             | D.25 DARK GREY EMBOSSED BUTTON      |
| 12   | 2005-0001 |             | D. 25 BLUE SUPPORT                  |
| 13   | 2010-0001 |             | D.25 BLUE EMBOSSED BUTTON           |
| 14   | 8302-0013 |             | UPPER COVER ASSY                    |





|   |               |             |                  |
|---|---------------|-------------|------------------|
| A | ON-OFF        | ON-OFF      | ON-OFF           |
| B | LAMPADA       | LIGHT       | LIGHT            |
| C | POMPA SCARICO | DRAIN PUMP  | POMPE DE VIDANGE |
| D | START CICLO   | START CYCLE | START CYCLE      |
| E | RISC.A FREDDO | COLD RINSE  | RINÇAGE A FROID  |

| POS: | Art.No.:    | Omschrijving:                        |
|------|-------------|--------------------------------------|
| 1    |             | UPPER COVER ASSY                     |
| 2    |             | CM-NA TWO-POLE SWITCH (*)            |
| 3    |             | SQ3 BLACK SUPPORT                    |
| 4    |             | BLACK EMBOSSED BUTTON WITH INDICATOR |
| 5    | CS9136.1063 | LIGHT INDICATOR HOLDER (*)           |
| 6    | CS9136.1069 | 230V TRANSPARENT INDICATOR LIGHT(*)  |
| 7    |             | NEUTRAL INDICATOR LIGHT              |
| 8    |             | BLACK SQUARE CAP                     |
| 8A   |             | BLACK SQUARE CAP-COLD RINSE          |
| 8B   |             | NEUTRAL INDICATOR LIGHT -SALT        |
| 9    | CS9136.1132 | CM-NO PUSH BUTTON (*)                |
| 10   |             | Q7 BLACK EMBOSSED BUTTON W/INDICATOR |
| 11   |             | Q7 GREEN EMBOSSED BUTTON W/INDICATOR |
| 12   |             | NEUTRAL INDICATOR LIGHT              |
| 13   |             | INDICATOR                            |




| POS: | Art.No.: | Omschrijving:    |
|------|----------|------------------|
| 1    |          | DOOR ASSY TYPE 1 |
| 2    |          | DOOR ASSY TYPE 2 |
| 3    |          | DOOR ASSY TYPE 3 |
| 4    |          | DOOR ASSY TYPE 4 |
| 5    |          | DOOR ASSY TYPE 5 |




COD. 6001-0003 (230V 50Hz)  
COD. 6001-0007 (230V 60Hz)

| POS: | Art.No.:    | Omschrijving:        |
|------|-------------|----------------------|
| 1    |             | PUMP PLASTIC BODY    |
| 2    | CS9136.2852 | GASKET               |
| 3    |             | IMPELLER             |
| 4    | CS9136.2471 | MECHANICAL SEAL ASSY |
| 5    |             | CAPACITOR 12,5μF     |


DOS. DETERSIVO REGOLABILE  
DETERGENT DISPENSER ADJUSTABLE




DOS. DETERSIVO FISSO  
FIX DETERGENT DISPENSER



DOS. BRILLANTANTE REGOLABILE  
RINSE-AID DISPENSER ADJUSTABLE



DOS. BRILLANTANTE FISSO  
FIX RINSE-AID DISPENSER



**CombiSteel** catering equipment

| POS: | Art.No.:    | Omschrijving:                                |
|------|-------------|----------------------------------------------|
| 1    | CS9136.3103 | ADJUSTABLE DETER. DISPENDER 0÷3Lt/h          |
| 2    | CS9136.3106 | ADJUSTABLE RINSE-AID DISPENDER 0÷0.5Lt/h     |
| 3    | CS9136.3105 | FIXED DETERGENT DISPENDER 3Lt/h              |
| 4    |             | FIXED RINSE-AID DISPENDER 0,5Lt/h            |
| 5    | CS9136.1750 | NOT RETOURN VALVE FOR RINSE-AID DISP. (*)    |
| 6    | CS9136.3167 | INTERNAL DETERG. DISPENSER HOSE (*)          |
| 7    | CS9136.1783 | DETERG. DISPENS. ROLL HOLDERS ASSY (*)       |
| 8    |             | COVER ASSY                                   |
| 9    | CS9136.1361 | DETERG. DISPENS. FILTER ASSY WITH HOSE       |
| 10   |             | RINSE-AID DISPENS. ROLL HOLDERS ASSY (*)     |
| 11   | CS9136.3168 | INTERNAL RINSE-AID DISPENSER HOSE (*)        |
| 12   | CS9136.1362 | RINSE-AID DISPENSER FILTER ASSY              |
| 13   |             | INTERNAL RINSE-AID DISPENSER HOSE WITH VALVE |
| 14   |             | STAINLESS STEEL HOSE NIPPLE                  |